

**CENTRAL MARKS DEPARTMENT-III**

Our Ref: CMD-III/16:2202 (Part 1)/817

27 03 2012

**Subject : Implementation of Amendment No.3, March 2012 to  
IS 2202 (Part 1) : 1999 Wooden Flush Door Shutters  
(Solid Core Type), Part 1 Plywood Face Panels (Sixth Revision)**

Amendment No.3, March 2012 to IS 2202 (Part 1) : 1999 Wooden Flush Door Shutters (Solid Core Type), Part 1 Plywood Face Panels (Sixth Revision) has been published (copy enclosed). There is no change in the existing Scheme of Testing and Inspection [ Doc: STI/2202 (Part 1)/11, August 1999 ] and [ Doc: STI/222 (Part 1)/EM, September 2001 ]. It has been decided to implement this Amendment with immediate effect.

*R. Bhanu Prakash*  
27/03/12  
(R Bhanu Prakash)  
Sc-E/Director (CMD-III)

Encl.: As stated

*27 03 2012*  
**Sc-F & Head (CMD-III)**

**Circulated to all ROs/BOs/IOs/BIS Labs**

Copy to:

Sc-F & Head (CMD-I)

Sc-F & Head (CED) – For Gazette Notification

✓ Head (ITSD) - For posting on BIS Intranet

P.T.O

vkC

*DDU - m a 12*

*27/03/12*

*89/1/2012*



**AMENDMENT NO. 3 MARCH 2012  
TO  
IS 2202 (PART 1) : 1999 WOODEN FLUSH DOOR  
SHUTTERS (SOLID CORE TYPE) —  
SPECIFICATION**

**PART 1 PLYWOOD FACE PANELS**

*( Sixth Revision )*

*(Page 3, clause 6.7.1)* — Substitute the following for the existing:

‘Particle board used for the core of the flush door shutters shall conform to either FPT-1 or XPS Designation of IS 3087.’

(CED 11)

Reprography Unit, BIS, New Delhi, India